

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "(flipflop <or> flip-flop<in>metadata) <and> ((voltage <or> ir) <in>..."

☒ e-mailYour search matched **0** documents.A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

 ☐ Check to search only within this results set

» Key

Display Format: ☒ Citation ☐ Citation & Abstract

IEEE JNL IEEE Journal or Magazine

IEEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance.

Indexed by
 Inspec[Help](#) [Contact Us](#) [Privacy & ;](#)

© Copyright 2005 IEEE ...


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "(flipflop <or> flip-flop<in>metadata) <and> (ir drop<in>metadata) <a..."

e-mail

Your search matched 1 of 1194402 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

(flipflop <or> flip-flop<in>metadata) <and> (ir drop<in>metadata) <and> (modificat

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

- ☐ 1. On low-capture-power test generation for scan testing
 Xiaoqing Wen; Yamashita, Y.; Kajihara, S.; Laung-Terng Wang; Saluja, K.K.; k
 VLSI Test Symposium, 2005. Proceedings. 23rd IEEE
 1-5 May 2005 Page(s):265 - 270
 Digital Object Identifier 10.1109/VTs.2005.60
[AbstractPlus](#) | Full Text: [PDF](#)(176 KB) IEEE CNF

 Indexed by
[Help](#) [Contact Us](#) [Privacy & :](#)

© Copyright 2005 IEEE --

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	35	((flip\$1flop or latch) near3 driv\$3) near3 (substitut\$3 or replac\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 11:28
L2	2	"716"/\$.ccls. and (sta or slack) and ((positive with negative) with (flipflop or flip\$1flop or latch))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 12:28
L3	2	"20040049752"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 10:52
L5	45	((flip\$1flop or latch) with library) and ((IR or voltage) near3 drop\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 10:58
L6	696	((flip\$1flop or latch) near3 driv\$3) with (substitut\$3 or replac\$5 or chang\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 11:42
L7	3	716/5,6,10.ccls. and ((voltage or IR) near3 drop\$3) and slack and (delay near3 (calculat\$3 or determin\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 11:26
L8	2	716/5,6,10.ccls. and ((voltage or IR) near3 drop\$3) and slack and (timing adj3 verification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 11:27
L9	238	((flip\$1flop or latch) near3 driv\$3) near3 (substitut\$3 or replac\$5 or chang\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 11:29
L10	5	((flip\$1flop or latch) near3 driv\$3) near3 (substitut\$3 or replac\$5 or chang\$3) and "716"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 11:29

L11	10	"716"/\$.ccls. and ((flip\$1flop or latch) near3 driv\$3) with (substitut\$3 or replac\$5 or chang\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 11:42
L12	238	"716"/\$.ccls. and (sta or slack) and ((flipflop or flip\$1flop or latch))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 12:28
L15	23	(ir or (voltage) adj2 drop) and (sta or (static adj2 timing)) and (timing with simulat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 12:39
S2	10	("6028993" "6090150" "6216256" "6405350").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 13:01
S3	143	716/5,6,10.ccls. and ((IR or voltage) adj2 drop)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 15:53
S4	39	716/5,6,10.ccls. and ((IR or voltage) adj2 drop) and (flip\$1flop or flipflop or latch)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 16:11
S6	8	716/5,6,10.ccls. and ((IR or voltage) adj2 drop) and (slack)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 16:16
S7	5	("5475605" "6145428" "6189131" "6279142" "6374394").PN. OR ("6629298").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/11 16:14
S8	16	"716"/\$.ccls. and ((IR or voltage) adj2 drop) and (slack)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 10:32
S9	1	"716"/\$.ccls. and ((IR or voltage) adj2 drop) and (positive\$1negative)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 16:30

S10	6	"716"/\$.ccls. and (slack) and (positive\$1negative)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/12 11:51
S11	1	"716"/\$.ccls. and (slack) and ((positive with negative) adj3 (flipflop or flip\$1flop or latch))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 13:04
S12	2	"716"/\$.ccls. and (slack) and ((positive with negative) with (flipflop or flip\$1flop or latch))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 10:50
S20	8	("6792582" "6336207" "6311310" "5774367").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/12 11:52
S21	20	("4580228" "5349542" "5404310" "5537328" "5602753" "5638294" "5663662" "5666288" "5724250" "5764525" "5768146" "5796299" "5801960" "5852562" "6000829").PN. OR ("6336207").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/12 11:54
S22	17	("716"/\$.ccls. or "703"/\$.ccls. or "714"/\$.ccls.) and ((IR or voltage) adj2 drop) and (slack)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 10:38
S23	13	((IR) adj2 drop) and (slack)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 10:47
S24	5	"6564357".pn. "20020174409"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 10:46
S25	7	((voltage) adj2 drop) and (slack) and (timing with simulat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 10:51
S26	4	("6099580" "6324678" "6584596").PN. OR ("6820240").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/19 10:49

S27	18	((voltage) adj2 drop) and (sta or (static adj timing)) and (timing with simulat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 12:38
S28	12	("4924430" "5095454" "5400270" "5555187" "5706205" "5726902" "5790830" "5831869" "5872716").PN. OR ("5983008").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/19 11:21
S29	2	"6799310".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 11:21
S30	1	("5774367").PN. OR ("6799310").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/19 12:23
S31	42	iwanishi-nobufusa.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 12:24
S32	6	("5533197" "5634001" "5661413" "5974247" "6047247" "6278964").PN. OR ("6795802").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/19 12:42
S33	2	"6336205".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 12:43
S34	4	"20040031008" "6675139".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 13:02
S35	34	(slack) and ((positive with negative) with (flipflop or flip\$1flop or latch))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 13:04
S37	8	((flip\$1flop or latch) adj3 driv\$3) with substitut\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 10:20

S38	430	((flip\$1flop or latch) with library)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 10:58
S39	5	((flip\$1flop or latch) with library) and (delay near3 calculat\$3) and ((voltage or ir) near3 drop)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 08:42
S40	2199	716/5,6.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 08:51
S41	118	716/5,6.ccls. and ((voltage or IR) near3 drop\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 11:13
S42	16	("5446676" "5471409" "5535223" "5598348" "5648909" "5657239" "5872952" "5878053" "5930148" "5949689" "6088523" "6219822" "6253361" "6269467" "6301693").PN. OR ("6453443"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/20 11:21

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	((timing adj2 verification) and (slack adj2 sort) and (flip\$1flop adj2 driv\$3) and (layout adj2 modification) and (delay adj2 calculation)).CLM.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 13:45
L2	1	((timing adj2 verification) and (slack adj2 sort) and (flip\$1flop adj2 substitution) and (layout adj2 modification) and (delay adj2 calculation)).CLM.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 13:45